

VENICE

Supported File Formats

Supplement



Supplement for the "VENICE Client Software" user guide: "VENICE Supported File Formats"
Document Version 1.0

Copyright © 2014 by Rohde & Schwarz DVS GmbH, Hanover. All rights reserved.

The manuals as well as the soft- and/or hardware described here and all their constituent parts are protected by copyright. Without the express permission of Rohde & Schwarz DVS GmbH any form of use which goes beyond the narrow bounds prescribed by copyright legislation is prohibited and liable to prosecution.

This particularly applies to duplication, copying, translation, processing, evaluation, publishing, and storing and/or processing in an electronic system.

Specifications and data may change without notice. We offer no guarantee that this documentation is correct and/or complete. In no event shall Rohde & Schwarz DVS GmbH be liable for any damages whatsoever (including without limitation any special, indirect or consequential damages, and damages resulting from loss of use, data or profits, or business interruption) arising out of the use of or inability to use the hardware, software and/or manual materials.

Those parts of this documentation that describe optional software or hardware features usually contain a corresponding note. Anyway, a lack of this note does not mean any commitment from Rohde & Schwarz DVS GmbH.

Apple and QuickTime are trademarks of Apple Inc., registered in the U.S. and other countries. Avid and Avid DNxHD are trademark or registered trademarks of Avid Technology, Inc. or its subsidiaries in the United States and/or other countries. Cineon is a trademark of Eastman Kodak Company. P2, AVC-Intra and DVC are registered trademark of Panasonic Corporation. XDCAM is a registered trademark of Sony Corporation.

Any other product names mentioned in this documentation may be trademarks or registered trademarks of their respective owners and as such are subject to the usual statutory provisions.

Supported File Formats

The VENICE software supports over 100 graphic and image file formats. Most are made available by a special library. For a list of all these file formats see <http://www.xnview.com/old/en/formats.html>. The tables in the following list most of the file formats that are supported by the DVS software directly. Some are video or audio-only file formats and some are container file formats that contain audio as well as video.

Some of the file formats (especially the uncompressed ones) can be used with a single video channel of the VENICE server only. A simultaneous processing with a further video channel may lead to drops. Some formats may be only available when special licenses are set. Please contact the DVS service department in case of license issues.



For further information and e.g. information about restrictions concerning hardware and/or software support of formats see the "VENICE Client Software" user guide.

The tables in the following contain information about the supported file formats, types, codecs and their specification. In the left columns you find a listing of rasters. Each raster that is supported by a file format or codec, is indicated by an *x* in the respective table cell. The specification, e.g. *8 bit, aiv, r/w/rec/playout* gives you further information about a file format or codec and is explained in the following:

- Bit depth (e.g. *8 bit*)
- Whether the file format supports only audio (*audio*), only video (*video*), audio and video (*audio+video*) or audio embedded in video (*aiv*)



The abbreviation *aiv* in the specification means the support of both, audio+video as well audio embedded in video.

- Whether the file format can be written (*w*), read (*r*), recorded (*rec*) or played out (*playout*)



Read and write (*r* and *w*) operations concern the transform mode in the VENICE client software.
Record and playout (*rec* and *playout*) concern the ingest and the playout mode.

VENICE Supported File Formats

FILE FORMAT:		MXF OP-1a								
TYPE:		AVC-Intra	Avid							
CODEC:			DNxHD,1080p 220 Mbps	DNxHD,1080p 220 Mbps	DNxHD,1080p 145 Mbps	DNxHD,720p 185 Mbps	DNxHD,720p 185 Mbps	DNxHD,720p 120 Mbps	DNxHD,1080i 220 Mbps	DNxHD,1080i 220 Mbps
SPECIFICATION:		10 bit, aiv, r/w/ rec/playout	10 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/w/rec/ playout	10 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/ rec/playout	10 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/ rec/playout
R	1 720x 486i29.97									
	2 720x 576i25									
	3 1280x 720p23.98	x				x	x	x		
	4 1280x 720p24					x	x	x		
	5 1280x 720p25	x				x	x	x		
	6 1280x 720p29.97	x				x	x	x		
	7 1280x 720p30					x	x	x		
	8 1280x 720p50	x				x	x	x		
	9 1280x 720p59.94	x				x	x	x		
	10 1280x 720p60					x	x	x		
	11 1920x1080i23.98								x	x
	12 1920x1080i24								x	x
	13 1920x1080i25	x							x	x
	14 1920x1080i29.97	x							x	x
	15 1920x1080i30								x	x
	16 1920x1080p23.98	x	x	x	x					
	17 1920x1080p24		x	x	x					
	18 1920x1080p25	x	x	x	x					
	19 1920x1080p29.97	x	x	x	x					
	20 1920x1080p30		x	x	x					
	21 1920x1080p47.95		x	x	x					
	22 1920x1080p48		x	x	x					
	23 1920x1080p50	x	x	x	x					
	24 1920x1080p59.94	x	x	x	x					
	25 1920x1080p60		x	x	x					
	26 2048x1080p23.98									
	27 2048x1080p24									
	28 2048x1080p25									
	29 2048x1080p48									
	30 2048x1556p23.98									
	31 2048x1556p24									
	32 2048x1556p25									

VENICE Supported File Formats

FILE FORMAT:		MXF OP-1a							
TYPE:		Avid		DV Family			XDCAM DV	XDCAM EX	XDCAM HD
CODEC:		DNxHD, 1080i 145 Mbps	DNxHD, 1080p 36 Mbps	DV25	DVCPro25	DVCPro50	DVCProHD100		
SPECIFICATION:		8 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/rec/ playout	8 bit, aiv, w/rec	8 bit, aiv, w/rec			
R	1 720x 486i29.97			x	x	x		x	
	2 720x 576i25			x	x	x		x	
	3 1280x 720p23.98								
	4 1280x 720p24								
	5 1280x 720p25								
	6 1280x 720p29.97								
	7 1280x 720p30								
	8 1280x 720p50					x		x	x
	9 1280x 720p59.94					x			x
	10 1280x 720p60								
	11 1920x1080i23.98	x							
	12 1920x1080i24	x							
	13 1920x1080i25	x				x		x	x
	14 1920x1080i29.97	x				x			x
	15 1920x1080i30	x							
	16 1920x1080p23.98		x						x
	17 1920x1080p24		x						
	18 1920x1080p25		x			x		x	x
	19 1920x1080p29.97		x			x			x
	20 1920x1080p30		x						
	21 1920x1080p47.95		x						
	22 1920x1080p48		x						
	23 1920x1080p50		x						
	24 1920x1080p59.94		x						
	25 1920x1080p60		x						
	26 2048x1080p23.98								
	27 2048x1080p24								
	28 2048x1080p25								
	29 2048x1080p48								
	30 2048x1556p23.98								
	31 2048x1556p24								
	32 2048x1556p25								

VENICE Supported File Formats

FILE FORMAT:		MXF OP-1a					MXF OP-Atom			
TYPE:		XDCAM IMX	XDCAM HD(RDD 09 compliant)				Avid			
CODEC:			XDCAM HD 50 Mbps CBR 4:2:2	XDCAM HD 25 Mbps CBR 4:2:0	XDCAM HD 18 Mbps VBR 4:2:0	XDCAM HD 35 Mbps VBR 4:2:0	DNxHD,1080p 220 Mbps	DNxHD,1080p 220 Mbps	DNxHD,1080p 145 Mbps	DNxHD,720p 185 Mbps
SPECIFICATION:		8 bit, aiv, r/rec/ playout	8 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/w/ rec/playout	10 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/ rec/playout	10 bit, aiv, r/w/ rec/playout
R A S T E R	1	720x 486i29.97	x							
	2	720x 576i25	x							
	3	1280x 720p23.98								x
	4	1280x 720p24								x
	5	1280x 720p25								x
	6	1280x 720p29.97								x
	7	1280x 720p30								x
	8	1280x 720p50		x	x		x			x
	9	1280x 720p59.94		x	x		x			x
	10	1280x 720p60								x
	11	1920x1080i23.98			x	x	x			
	12	1920x1080i24								
	13	1920x1080i25		x	x	x	x			
	14	1920x1080i29.97		x	x	x	x			
	15	1920x1080i30								
	16	1920x1080p23.98		x	x	x	x	x	x	x
	17	1920x1080p24						x	x	x
	18	1920x1080p25		x	x	x	x	x	x	x
	19	1920x1080p29.97		x	x	x	x	x	x	x
	20	1920x1080p30						x	x	x
	21	1920x1080p47.95						x	x	x
	22	1920x1080p48						x	x	x
	23	1920x1080p50						x	x	x
	24	1920x1080p59.94						x	x	x
	25	1920x1080p60						x	x	x
	26	2048x1080p23.98								
	27	2048x1080p24								
	28	2048x1080p25								
	29	2048x1080p48								
	30	2048x1556p23.98								
	31	2048x1556p24								
	32	2048x1556p25								

VENICE Supported File Formats

FILE FORMAT:		MXF OP-Atom								
TYPE:		Avid								
CODEC:		DNxHD,720p 185 Mbps	DNxHD,720p 120 Mbps	DNxHD,1080i 220 Mbps	DNxHD,1080i 220 Mbps	DNxHD,1080i 145 Mbps	DNxHD,1080p 36 Mbps	DV25	DVCPro25	DVCPro50
SPECIFICATION:		8 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/w/rec/ playout	10 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/rec/ playout
R	1 720x 486i29.97							x	x	x
	2 720x 576i25							x	x	x
	3 1280x 720p23.98	x	x							
	4 1280x 720p24	x	x							
	5 1280x 720p25	x	x							
	6 1280x 720p29.97	x	x							
	7 1280x 720p30	x	x							
	8 1280x 720p50	x	x							
	9 1280x 720p59.94	x	x							
	10 1280x 720p60	x	x							
	11 1920x1080i23.98			x	x	x				
	12 1920x1080i24			x	x	x				
	13 1920x1080i25			x	x	x				
	14 1920x1080i29.97			x	x	x				
	15 1920x1080i30			x	x	x				
	16 1920x1080p23.98						x			
	17 1920x1080p24						x			
	18 1920x1080p25						x			
	19 1920x1080p29.97						x			
	20 1920x1080p30						x			
	21 1920x1080p47.95						x			
	22 1920x1080p48						x			
	23 1920x1080p50						x			
	24 1920x1080p59.94						x			
	25 1920x1080p60						x			
	26 2048x1080p23.98									
	27 2048x1080p24									
	28 2048x1080p25									
	29 2048x1080p48									
	30 2048x1556p23.98									
	31 2048x1556p24									
	32 2048x1556p25									

VENICE Supported File Formats

FILE FORMAT:		MXF OP-Atom							
TYPE:		Avid	P2						
CODEC:		DVCProHD100	DV25	DVCPro25	DVCPro50	DVCProHD100	AVC-Intra50	AVC-Intra100	AVC-Intra200
SPECIFICATION:		8 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/rec/ playout	10 bit, aiv, r/ rec/playout	10 bit, aiv, r/ rec/playout	10 bit, aiv, r/rec/ playout			
R A S T E R	1 720x 486i29.97		x	x	x				
	2 720x 576i25		x	x	x				
	3 1280x 720p23.98						x	x	x
	4 1280x 720p24								
	5 1280x 720p25						x	x	x
	6 1280x 720p29.97						x	x	x
	7 1280x 720p30								
	8 1280x 720p50	x				x	x	x	x
	9 1280x 720p59.94	x				x	x	x	x
	10 1280x 720p60								
	11 1920x1080i23.98								
	12 1920x1080i24								
	13 1920x1080i25	x				x	x	x	x
	14 1920x1080i29.97	x				x	x	x	x
	15 1920x1080i30								
	16 1920x1080p23.98						x	x	x
	17 1920x1080p24								
	18 1920x1080p25	x				x	x	x	x
	19 1920x1080p29.97	x				x	x	x	x
	20 1920x1080p30								
	21 1920x1080p47.95								
	22 1920x1080p48								
	23 1920x1080p50								
	24 1920x1080p59.94								
	25 1920x1080p60								
	26 2048x1080p23.98								
	27 2048x1080p24								
	28 2048x1080p25								
	29 2048x1080p48								
	30 2048x1556p23.98								
	31 2048x1556p24								
	32 2048x1556p25								

VENICE Supported File Formats

FILE FORMAT:		MOV							
TYPE:		Quicktime							
CODEC:		AVC-Intra50	AVC-Intra100	DNxHD, 1080p 220 Mbps	DNxHD, 1080p 220 Mbps	DNxHD, 1080p 145 Mbps	DNxHD, 720p, 185 Mbps	DNxHD, 720p 185 Mbps	DNxHD, 720p 120 Mbps
SPECIFICATION:		10 bit, aiv, r/w/rec/ playout	10 bit, aiv, r/w/rec/ playout	10 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/ rec/playout	10 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/w/rec/ playout
R	1 720x 486i29.97								
	2 720x 576i25								
	3 1280x 720p23.98	x	x				x	x	x
	4 1280x 720p24						x	x	x
	5 1280x 720p25	x	x				x	x	x
	6 1280x 720p29.97	x	x				x	x	x
	7 1280x 720p30						x	x	x
	8 1280x 720p50	x	x						
	9 1280x 720p59.94	x	x						
	10 1280x 720p60								
	11 1920x1080i23.98								
	12 1920x1080i24								
	13 1920x1080i25	x	x						
	14 1920x1080i29.97	x	x						
	15 1920x1080i30								
	16 1920x1080p23.98	x	x	x	x	x			
	17 1920x1080p24			x	x	x			
	18 1920x1080p25	x	x	x	x	x			
	19 1920x1080p29.97	x	x	x	x	x			
	20 1920x1080p30			x	x	x			
	21 1920x1080p47.95								
	22 1920x1080p48								
	23 1920x1080p50								
	24 1920x1080p59.94								
	25 1920x1080p60								
	26 2048x1080p23.98								
	27 2048x1080p24								
	28 2048x1080p25								
	29 2048x1080p48								
	30 2048x1556p23.98								
	31 2048x1556p24								
	32 2048x1556p25								

VENICE Supported File Formats

FILE FORMAT:		MOV								
TYPE:		Quicktime								
CODEC:		DNxHD,1080i 220 Mbps	DNxHD,1080i 220 Mbps	DNxHD,1080i 145 Mbps	DNxHD,Thin 145 Mbps	DNxHD,1080p 36 Mbps	DV25	DV25 Avid	DVCPro25	DVCPro50
SPECIFICATION:		10 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/w/rec/ playout
R	1 720x 486i29.97						x	x	x	x
	2 720x 576i25						x	x	x	x
	3 1280x 720p23.98									
	4 1280x 720p24									
	5 1280x 720p25									
	6 1280x 720p29.97									
	7 1280x 720p30									
	8 1280x 720p50									
	9 1280x 720p59.94									
	10 1280x 720p60									
	11 1920x1080i23.98	x	x	x	x					
	12 1920x1080i24	x	x	x	x					
	13 1920x1080i25	x	x	x	x					
	14 1920x1080i29.97	x	x	x	x					
	15 1920x1080i30	x	x	x	x					
	16 1920x1080p23.98					x				
	17 1920x1080p24						x			
	18 1920x1080p25						x			
	19 1920x1080p29.97						x			
	20 1920x1080p30						x			
	21 1920x1080p47.95									
	22 1920x1080p48									
	23 1920x1080p50									
	24 1920x1080p59.94									
	25 1920x1080p60									
	26 2048x1080p23.98									
	27 2048x1080p24									
	28 2048x1080p25									
	29 2048x1080p48									
	30 2048x1556p23.98									
	31 2048x1556p24									
	32 2048x1556p25									

VENICE Supported File Formats

FILE FORMAT:		MOV								
TYPE:		Quicktime								
CODEC:		DVCPro50 Avid	DVCProHD100	IMX50	IMX50 Avid	IMX40	IMX30	ProRes422	ProRes422(HQ)	ProRes422(LT)
SPECIFICATION:		8 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/ rec/playout	10 bit, aiv, r/w/ rec/playout	10 bit, aiv, r/w/ rec/playout	10 bit, aiv, r/w/ rec/playout
R A S T E R	1 720x 486i29.97	x		x	x	x	x	x	x	x
	2 720x 576i25	x		x	x	x	x	x	x	x
	3 1280x 720p23.98		x					x	x	x
	4 1280x 720p24							x	x	x
	5 1280x 720p25		x					x	x	x
	6 1280x 720p29.97		x					x	x	x
	7 1280x 720p30							x	x	x
	8 1280x 720p50		x					x	x	x
	9 1280x 720p59.94		x					x	x	x
	10 1280x 720p60							x	x	x
	11 1920x1080i23.98		x					x	x	x
	12 1920x1080i24							x	x	x
	13 1920x1080i25		x					x	x	x
	14 1920x1080i29.97		x					x	x	x
	15 1920x1080i30							x	x	x
	16 1920x1080p23.98		x					x	x	x
	17 1920x1080p24							x	x	x
	18 1920x1080p25		x					x	x	x
	19 1920x1080p29.97		x					x	x	x
	20 1920x1080p30							x	x	x
	21 1920x1080p47.95									
	22 1920x1080p48									
	23 1920x1080p50							x	x	x
	24 1920x1080p59.94									
	25 1920x1080p60									
	26 2048x1080p23.98									
	27 2048x1080p24									
	28 2048x1080p25									
	29 2048x1080p48									
	30 2048x1556p23.98									
	31 2048x1556p24									
	32 2048x1556p25									

VENICE Supported File Formats

FILE FORMAT:		MOV							
TYPE:		Quicktime							
CODEC:		ProRes422(Proxy)	ProRes 444	XDCAM HD 25 Mbps CBR 4:2:0	XDCAM HD 35 Mbps VBR 4:2:0	XDCAM EX 35 Mbps VBR 4:2:0	XDCAM HD 50 Mbps CBR 4:2:2	8bitUYVY	10 bit YUV422 (v210)
SPECIFICATION:		10 bit, aiv, r/w/rec/ playout	16 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/w/rec/ playout	10 bit, aiv, r/w/rec/ playout
R	1 720x 486i29.97	x	x					x	x
	2 720x 576i25	x	x					x	x
	3 1280x 720p23.98	x	x			x	x	x	x
	4 1280x 720p24	x	x					x	x
	5 1280x 720p25	x	x			x	x	x	x
	6 1280x 720p29.97	x	x			x		x	x
	7 1280x 720p30	x	x					x	x
	8 1280x 720p50	x	x			x	x	x	x
	9 1280x 720p59.94	x	x			x	x	x	x
	10 1280x 720p60	x	x					x	x
	11 1920x1080i23.98	x	x					x	x
	12 1920x1080i24	x	x					x	x
	13 1920x1080i25	x	x	x	x	x	x	x	x
	14 1920x1080i29.97	x	x	x	x	x	x	x	x
	15 1920x1080i30	x	x					x	x
	16 1920x1080p23.98	x	x	x	x	x	x	x	x
	17 1920x1080p24	x	x					x	x
	18 1920x1080p25	x	x	x	x	x	x	x	x
	19 1920x1080p29.97	x	x	x	x	x	x	x	x
	20 1920x1080p30	x	x					x	x
	21 1920x1080p47.95								
	22 1920x1080p48								
	23 1920x1080p50	x							
	24 1920x1080p59.94								
	25 1920x1080p60								
	26 2048x1080p23.98								
	27 2048x1080p24								
	28 2048x1080p25								
	29 2048x1080p48								
	30 2048x1556p23.98								
	31 2048x1556p24								
	32 2048x1556p25								

VENICE Supported File Formats

FILE FORMAT:	MXF OP-1a		MPEG-2	MPEG-4
TYPE:	AS-11		MPEG-2	(H.264)
CODEC:	IMX50	AVC-Intra100		
SPECIFICATION:	8 bit, aiv, r/w, playout	10 bit, aiv, r/w, playout	8 bit, aiv, r/w/rec/playout	8 and 10 bit (depending on profile setting), aiv, r/w/rec/playout
R A S T E R	1 720x 486i29.97	x	x	x
	2 720x 576i25	x	x	x
	3 1280x 720p23.98		x	x
	4 1280x 720p24		x	x
	5 1280x 720p25		x	x
	6 1280x 720p29.97		x	x
	7 1280x 720p30		x	x
	8 1280x 720p50	x		x
	9 1280x 720p59.94	x		x
	10 1280x 720p60			x
	11 1920x1080i23.98		x	x
	12 1920x1080i24		x	x
	13 1920x1080i25	x	x	x
	14 1920x1080i29.97	x	x	x
	15 1920x1080i30		x	x
	16 1920x1080p23.98		x	x
	17 1920x1080p24		x	x
	18 1920x1080p25		x	x
	19 1920x1080p29.97		x	x
	20 1920x1080p30		x	x
	21 1920x1080p47.95			
	22 1920x1080p48			
	23 1920x1080p50	x		
	24 1920x1080p59.94	x		
	25 1920x1080p60			
	26 2048x1080p23.98			
	27 2048x1080p24			
	28 2048x1080p25			
	29 2048x1080p48			
	30 2048x1556p23.98			
	31 2048x1556p24			
	32 2048x1556p25			

MPEG-2 and MPEG-4:

The VENICE client software offers you the possibility to configure the MPEG-2 and MPEG-4 (i.e. H.264) settings in the configuration menu of the software. There you can set the profiles, levels and bit rates. The bit depth depends on the set profile and level.

For MPEG-2 the following profiles can be set:

- High Profile
- Main Profile
- Simple Profile
- 4:2:2 Profile

Furthermore, you can set levels High Level, High Level 1440, Main Level and Low Profile.

For MPEG-4 the following profiles can be set:

- Baseline Profile
- Main Profile
- High Profile
- High10 Profile
- High422 Profile

Furthermore, you can set levels 3.0, 3.1, 3.2 and 4.0.

The respective rasters have to be set in the configuration options in the video channel tab (see "VENICE Client Software" user guide). Please consider that VENICE may not support all rasters in all combinations of profiles, levels, bit rates, etc. of the MPEG-2 and MPEG-4 formats in the configuration menu. The raster support for MPEG-2 and MPEG-4 as indicated in the table to the left, is a general information and cannot be applied to all file format settings. Please note, if a raster set in the configuration options does not fit to the profile/level setting in the configuration menu, drops may occur when performing the operation with VENICE.

VENICE Supported File Formats

FILE FORMAT:		GXF						BMP	CINEON	DPX
TYPE:		General Exchange Format								
CODEC:		MPEG-2 40 Mbps VBR 4:2:0	MPEG-2 12 Mbps VBR 4:2:0	DVCPro25	DVCPro50	DVCProHD100	DV25			
SPECIFICATION:		8 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/ rec/playout	8 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/w/rec/ playout	8 bit, aiv, r/w/rec/ playout	8 bit, video, r/ w/rec/playout	10 bit, video, r/w/ rec/playout	8/10/12/16 bit, video, r/w/rec/ playout
R	1 720x 486i29.97		x	x	x		x	x	x	x
	2 720x 576i25		x	x	x		x	x	x	x
	3 1280x 720p23.98							x	x	x
	4 1280x 720p24							x	x	x
	5 1280x 720p25							x	x	x
	6 1280x 720p29.97							x	x	x
	7 1280x 720p30							x	x	x
	8 1280x 720p50	x				x		x	x	x
	9 1280x 720p59.94	x				x		x	x	x
	10 1280x 720p60							x	x	x
	11 1920x1080i23.98							x	x	x
	12 1920x1080i24							x	x	x
	13 1920x1080i25	x				x		x	x	x
	14 1920x1080i29.97	x				x		x	x	x
	15 1920x1080i30							x	x	x
	16 1920x1080p23.98	x						x	x	x
	17 1920x1080p24	x						x	x	x
	18 1920x1080p25	x				x		x	x	x
	19 1920x1080p29.97	x				x		x	x	x
	20 1920x1080p30							x	x	x
	21 1920x1080p47.95							x	x	x
	22 1920x1080p48							x	x	x
	23 1920x1080p50							x	x	x
	24 1920x1080p59.94							x	x	x
	25 1920x1080p60							x	x	x
	26 2048x1080p23.98							x	x	x
	27 2048x1080p24							x	x	x
	28 2048x1080p25							x	x	x
	29 2048x1080p48							x	x	x
	30 2048x1556p23.98							x	x	x
	31 2048x1556p24							x	x	x
	32 2048x1556p25							x	x	x

VENICE Supported File Formats

FILE FORMAT:		DV-DIF				JPEG	TGA	TIFF	YUV8/10/16
TYPE:		DV							
CODEC:		DVCPro25	DVCPro50	DVCProHD100	DV25				
SPECIFICATION:		8 bit, aiv, r/w/rec/ playout	8 bit, video, r	8 bit, video, r/w/ rec/playout	8/12/16 bit, video, r/w/rec/playout	8/10/16 bit, video, r/w/rec/playout			
R	1 720x 486i29.97	x	x		x	x	x	x	x
	2 720x 576i25	x	x		x	x	x	x	x
	3 1280x 720p23.98					x	x	x	x
	4 1280x 720p24					x	x	x	x
	5 1280x 720p25					x	x	x	x
	6 1280x 720p29.97					x	x	x	x
	7 1280x 720p30					x	x	x	x
	8 1280x 720p50		x			x	x	x	x
	9 1280x 720p59.94		x			x	x	x	x
	10 1280x 720p60					x	x	x	x
	11 1920x1080i23.98					x	x	x	x
	12 1920x1080i24					x	x	x	x
	13 1920x1080i25		x			x	x	x	x
	14 1920x1080i29.97		x			x	x	x	x
	15 1920x1080i30					x	x	x	x
	16 1920x1080p23.98					x	x	x	x
	17 1920x1080p24					x	x	x	x
	18 1920x1080p25		x			x	x	x	x
	19 1920x1080p29.97		x			x	x	x	x
	20 1920x1080p30					x	x	x	x
	21 1920x1080p47.95					x	x	x	x
	22 1920x1080p48					x	x	x	x
	23 1920x1080p50					x	x	x	x
	24 1920x1080p59.94					x	x	x	x
	25 1920x1080p60					x	x	x	x
	26 2048x1080p23.98					x	x	x	x
	27 2048x1080p24					x	x	x	x
	28 2048x1080p25					x	x	x	x
	29 2048x1080p48					x	x	x	x
	30 2048x1556p23.98					x	x	x	x
	31 2048x1556p24					x	x	x	x
	32 2048x1556p25					x	x	x	x